EVERY STEP ONE COLLECTION

A continuous wood look across Floors + Stairs + Risers

TRU-STONE
PREMIUM EUROPEAN SPC FLOORS

SIERRA OAK

SLATE OAK

TWO SIDES OF THE PRODUCT

ACTUAL PRODUCT PHOTOS



TOP SURFACE

SLATE GREY / COLOUR STUDY



UNDERSIDE (BACK)

WOOD-BASED SUPPORT / OSB



PREMIUM SPC STAIR TREAD + RISER

IN EVERY SPACE CONTINUOUS GRAIN


Stairs finished with a consistent surface look.

APPLICATION VISUALIZATION

PRODUCT DIMENSIONS

STANDARD PRODUCT DIMENSIONS

TREAD / TOP VIEW




DEPTH

300 × 1180 mm

11 mm total | 5 mm SPC + 6 mm OSB

PROFILE AND RISER



RISER 200 × 1180 mm | 5 mm thick

ENGINEERED SPC STAIR TREAD & RISER

STAIR TREAD

Size: 300 × 1180 mm | 30 × 118 cm
Inches: 11.81" × 46.46"

Total thickness: 11 mm (5 mm SPC + 6 mm OSB)

STAIR RISER

Size: 200 × 1180 mm | 20 × 118 cm
Inches: 7.87" × 46.46"

Thickness: 5 mm

PACKAGING

Box contents: 2 stair treads + 2 risers

Tread coverage: approx. 0.71 m² / 7.64 sq ft per box

PROJECT PACKAGING



SHIPPING PALLET



BOX CONTENTS

Packaging may vary by order; printed colours should be checked against physical samples.

DECOR OPTIONS



DUNE OAK | FROSTED OAK | NATURAL OAK | TAUPE OAK | SLATE OAK

SELECTED **DECOR OPTIONS**

Ten carefully selected wood looks from our decor collection.

150+
DECORS AVAILABLE
MORE COLOURS ON REQUEST

EUROPEAN-STYLE COLLECTION

10 SELECTED FINISHES



FROSTED OAK
DECOR 29149-7
WOOD-LOOK FINISH



SAND OAK
DECOR 29148-4
WOOD-LOOK FINISH



NATURAL OAK
DECOR 19018-11
WOOD-LOOK FINISH



RUSTIC OAK
DECOR 29036-11
WOOD-LOOK FINISH



DARK WALNUT
DECOR 7324-8
WOOD-LOOK FINISH



PEARL GREY
DECOR 29036-15
WOOD-LOOK FINISH



SILVER GREY
DECOR 29140-5
WOOD-LOOK FINISH



SMOKED GREIGE
DECOR 29148-5
WOOD-LOOK FINISH



SLATE GREY
DECOR 29098-11
WOOD-LOOK FINISH



TAUPE OAK
DECOR 7324-1
WOOD-LOOK FINISH

CONTINUOUS FINISH. ONE COORDINATED STAIR DESIGN.

A practical, durable, affordable and easy to install solution is now available for Stairs & Risers.
Will work with the majority of stair designs in Europe & North America.
Complete Installation Instructions are available on our website - www.trustonespc.com

BEAUTIFUL COORDINATION FLOORS TO RISERS TO STAIRS.

10 Popular Décor Choices - With Engineered Profile Details.



01 / DEEP SLATE



02 / WEATHERED BROWN



03 / SOFT GREIGE



04 / SILVER GREY



05 / PALE GREIGE



06 / RUSTIC BROWN



07 / HONEY OAK



08 / GOLDEN OAK



09 / PALE SAND




10 / WARM OAK

ENGINEERED U-PROFILE DETAILS



UNDERSIDE / U-RETURN



FRONT EDGE / GREY U-PROFILE

150+ DECORS AVAILABLE

The perfect solution for a consistent and neatly completed project.

MINIMUM ORDER: 400 SETS

Any colour combination*

*Subject to order confirmation

REACH US FOR MORE INFO

sales1@trustonespc.com | info@tru-stone.net

sedat@tru-stone.net

WWW.TRUSTONESPC.COM

Grey front-edge finish is a colour visualization; verify final finishes with physical samples. Descriptive finish names are for illustration; confirm the decor code with our sales team.

TRU-STONE

PREMIUM EUROPEAN SPC FLOORS

Every step.
One collection.

PREMIUM SPC STAIR TREAD & RISER SOLUTIONS

Made utilizing SPC and **OSB** support.
Available across our entire product collection.

A practical, easy and affordable solution for covering steps with a coordinated finish.


APPLICATION VIEW

01 / COORDINATED
Treads and risers in matching SPC decors.

02 / SUPPORTED
SPC surface with **OSB** support.

03 / COMPLETE
A clean finish for the entire staircase.

THE PRODUCT, CLEARLY SEEN

FACE / SUPPORT / PROFILE




PRACTICAL / EASY / AFFORDABLE / STYLISH

1. Stair preparation

A. If the nosing overhangs more than ½ in, cut it to exactly ½ in. If the stairs have no nosing, add a ½ in thick strip of plywood or lumber using construction adhesive or wood glue. Secure it with screws and allow the adhesive to cure. The nosing must be straight.

B. The tread depth must be a maximum of 10.5 in (266.7 mm). Cut if necessary. The nosing must be flat and square. It cannot be bullnosed (round).

C. The existing tread cannot be thicker than 1.25 in.



D. The tread being covered should be flat and free of paint, oils and dirt that would prevent the adhesive from bonding. Sand with 60-grit sandpaper to roughen the surface, especially the nose.

2. Applying adhesive

Supplies


- Construction adhesive (PL Premium or similar)
- Stair-tread template tool
- Table saw



A. Measure and cut the SPC stair treads and the matching riser to the dimensions of your stairs. The riser will sit on top of the SPC stair tread.

B. Starting from the top of the stairs, apply a generous amount of adhesive to the top of the tread, the riser and the nose of the stair tread. Then apply a bead of adhesive along the two corners of the SPC tread cover, as illustrated below.





Installation Q&A

1. How do I start my stairs at the top?

The stair treads are produced by locking together two planks. If you separate the two planks, you can use the plank with the bullnose as your starter piece at the top of the stairs. To separate the planks, use gentle heat to soften the adhesive.

2. After cutting off the round bullnose on my stairs, my tread is still longer than 10.5 in. What do I do?


You can use your SPC flooring planks to extend your tread if necessary. Install the stair tread according to the instructions, then measure the gap left to cover. Glue and nail ¼ in thick MDF onto the tread where the gap is. Cut a strip from your SPC flooring planks and lock the long-side joint to fill that gap.

3. My tread is thicker than 1.25 in. What do I do?

The tread thickness can be reduced using a trim router fitted with an edge guide and a ½ in spiral router bit. From the bottom of the nosing, remove ¼ in of thickness at a time until you reach your target thickness, between 1 and 1.25 in.



Starter plank



Matching plank and MDF




Trim the underside

Production Facility – Bursa, Türkiye













Factory footprint
30,000 m²

Flooring extrusion lines
6

Wall panel extrusion lines
3

Yearly production capacity
8 million m²

North American Distribution Centres





Brampton Warehouse

8 Tracey Blvd, Brampton, ON L6T 5R9, Canada






Statesboro Warehouse

46 Holland Industrial Park Road, Statesboro, GA 30461, USA

info@tru-stone.net sales1@trustonespc.com

Inventory and dispatch








14,000 m²

Combined North American distribution space

From storage to shipment

Our Brampton and Statesboro warehouses hold finished flooring for North American orders. Our teams pick the pallets from stock and move them by forklift to the loading bays.

The Engineering Behind Premium European SPC

PREMIUM QUALITY EUROPEAN PRODUCTS

Provide your clients premium European SPC floors & walls that portrays luxury, superior quality, and lasting durability. Our dedication to utilizing top-grade raw materials and advanced manufacturing sets us apart from the competition — all while staying competitive with Asian imports.

ULTIMATE SHIELD SPECIAL SURFACE COATING:

Sets a new industry benchmark in surface protection. This Special UV Coating Technology provides superb performance in Scratch, Stain and Wear Resistance (10x Stronger Resistance then regular UV). Available on all our products.

ENDURANCE TECH CORE

Built with proprietary technology, our SPC waterproof core delivers over 2000kg/m³ density for superior strength, impact resistance, and lasting durability. Made from 70% natural stone, virgin American PVC, and high-grade polymers, all fused with advanced extrusion, our Core outperforms competitors for next-level performance.

PRODUCTION

State of the art, 300,000 sqft Factory located in Bursa Turkey. Equipped with fully automated, high output production lines and a talented technical team, capable of producing, an annual 85 million sqft (8 mil. m2), of high quality SPC Floor & Wall products. Our company places a high emphasis on sustainable production, by utilizing high tech recycling systems which produce zero manufacturing waste. With a recent 6 Mw solar system investment, 100% of our factory will soon operate using Green Renewable Energy.

UNMATCHED LEAD TIMES & SERVICE

Large Inventory is maintained in our combined 150,000 sqft distribution centers, located in Toronto Canada & Statesboro GA USA; ready to reach our North American clients within days. Our offices can handle all logistics and customs to your door—so you can focus on selling.

Sales and downloads

INTERNATIONAL SALES

sales1@trustonespc.com

+90 552 449 86 63

NORTH AMERICA

info@tru-stone.net

sedat@tru-stone.net

+1 647 510 8453

DISTRIBUTION CENTRES

8 Tracey Blvd, Brampton, ON L6T 5R9, Canada

46 Holland Industrial Park Road

Statesboro, GA 30461, USA

TRU-STONE online

trustonespc.com

STAIR RESOURCES

Illustrated stair installation guide →

Stair fitting questions and answers →

IN THIS CATALOG

Product dimensions and packaging p. 02 →

Stair finishes p. 03 →

Installation p. 06 →